



IT Ponte sollevatore elettroidraulico a forbice ideale per gommisti, carrozzerie e garage.

EN Electro-hydraulic scissor lift suitable for tyre shops, body shops and workshops.

FR Pont élévateur électrohydraulique à ciseaux pour le service pneus, carrosserie et garages.

DE Elektrohydraulische Scherenhebebühne für Reifenhändler, Karosserie und Reparaturwerkstätten.

ES Elevador de tijera electrohidráulico ideal para servicios de neumáticos, chapisterías y talleres.



IT Minimo ingombro a ponte chiuso.

EN Minimal size for lift in lowest position.

FR Encombrement minimale à pont fermé.

DE Minimaler Raumbedarf in der geschlossenen Position.

ES Dimensiones mínimas todo cerrado.

Caratteristiche • Features • Fonctions • Funktionen • Funciones



IT Centralina di comando mobile, coperta. Comandi “Uomo presente”.
EN Portable control unit, covered. “Dead man” controls.
FR Unité de commande mobile, couverte. Commandes de type “Homme mort”.
DE Tragbare Steuerheit, überdachte. Steuerungen „Bedienerpräsenz”.
ES Unidad de mando móvil, cubierta. Mandos “Hombre muerto”.



IT Struttura robusta.
EN Strong frame.
FR Structure solide.
DE Robuste Struktur.
ES Estructura robusta.






IT 2 mt. di tubi flessibili di collegamento ponte-centralina **EN** 2 mt. flexible hoses between lift and control unit **FR** 2 mt. de tuyaux flexibles de connections entre pont et pupitre **DE** 2 mt. Verbindungsschlauch Hebebühne/Steuerinheit **ES** 2 mt. de tubos flexibles de conexión elevador-unidad de control.

IT Pattini di scorrimento in materiale plastico autolubrificanti **EN** Self-lubricating plastic sliders **FR** Patins en matière plastique autolubrifiants **DE** Selbstschmierende Gleitböcke aus Kunststoff **ES** Patines de deslizamiento de material plástico autolubricantes.

IT Parni con boccole autolubrificanti.
EN Pins with self-lubricating bushes.
FR Axes avec bagues autolubrifiant.
DE Bolzen mit selbstschmierenden Buchsen.
ES Pernos con casquillos autolubricantes.

IT Sincronizzazione meccanica con doppia barra di torsione **EN** Mechanical synchronization with double torsion bar **FR** Synchronisation mécanique avec une double barre de torsion **DE** Mechanischer Gleichlauf mit doppeltem Torsionsstab **ES** Sincronización mecánica con doble barra de torsión.



IT Sicurezza meccanica a comando pneumatico.
EN Mechanical safety with pneumatic control.
FR Sécurité mécanique à commande pneumatique.
DE Mechanische Sicherheitsvorrichtung mit Pneumatiksteuerung.
ES Seguridad mecánica de mando neumático.

IT Valvola controllo velocità di discesa.
EN Safety valves to check the descent speed.
FR Soupape de sécurité pour le controle vitesse de descente.
DE Ventil zur Kontrolle der Senkgeschwindigkeit.
ES Válvula de control de la velocidad de descenso.

IT Valvola di sovraccarico.
EN Overload valve.
FR Vanne de surcharge.
DE Überdruckventil.
ES Válvula de sobrecarga.

IT Segnale acustico in fase finale della discesa.
EN Acoustic signal during the final lowering phase.
FR Signal sonore d'avertissement dans la phase finale de la descente.
DE Akustisches Signal in Endphase der Senkung.
ES Señal acústica durante el momento final de descenso.

Accessori Opzionali • Optional Accessories



COD. 25100029

IT Kit mobile composto da ruote e tirante per consentire facili spostamenti.
EN Portable Set with wheels and tie for an easy move.
FR Kit mobile avec roues et tirant pour déplacement facile.
DE Satz mit Rädern und Zugstab für einfache Verschiebungen der Hebebühne.
ES Kit especial con ruedas y barra de dirección para facilitar el desplazamiento del elevador.

Dati tecnici • Technical data • Données techniques • Technisches Daten • Datos técnicos

<ul style="list-style-type: none"> • Portata massima • Capacity • Capacité de charge • Tragfähigkeit • Capacidad 	<ul style="list-style-type: none"> • Altezza max • Maximum height • Hauteur maxi • Maximalhöhe • Altura máxima 	<ul style="list-style-type: none"> • Altezza min • Minimum height • Hauteur minimum • Minimalhöhe • Altura mínima 	<ul style="list-style-type: none"> • Alimentazione • Power supply • Alimentation • Stromversorgung • Alimentación 	<ul style="list-style-type: none"> • Tempo di sollevamento • Lifting time • Temps de soulèvement • Heben Zeit • Tiempo de elevación 	<ul style="list-style-type: none"> • Peso netto • Net weight • Poids net • Nettogewicht • Peso neto
3000 Kg	1000 mm	105 mm	230/400V 50Hz 3ph 230V 50Hz 1ph	30 sec	471 Kg