













-  Gru idrauliche
-  Hydraulic cranes
-  Hydraulische Kräne
-  Grues hydrauliques
-  Grúas hidráulicas



SE= Semplice effetto
SE= Single action pump
SE= Einfachwirkende Pumpe
SE= Pompe simple effet
SE= Acción simple

W141SE

-  Valvola limitatrice di carico • Comando tipo uomo presente • Stelo cromato
-  **Overload safety-valve • Dead man controls • Chromium plated rod**
-  Überlastsicherung • Totmann-Senkventil • Verchromte Kolbenstange
-  Sécurité hydraulique en cas de surcharge • Commande de type "homme mort" • Tige chromée
-  Válvula limitadora de carga • Mando de tipo hombre presente • Vástago cromado



Dati tecnici


Technical data

Technische Eigenschaften

Caractéristiques techniques

Datos técnicos






	W140 W140SE	W141 W141/SE	W142	W143
A	1620	1750	1840	1990
B	1350	1560	1790	1970
C	1300	1550	1850	1970
D	1000	1250	1400	1520
E	160	165	195	220
F	520	620	430	520
G	730	800	720	800
H	2200	2520	2820	2930
I	2400	2750	3220	3270
L	780	920	880	980
M	900	1050	1050	1120
N	640	750	1000	1100
kg	65	100	180	220








Kg	500	1000	1500	2000
1	500	1000	1500	2000
2	400	800	1200	1500
3	350	650	800	1000
4	250	450	500	600

W106 | 2000 kg




-  Gru idrauliche serie pesante, doppio effetto
-  **Heavy duty hydraulic cranes, double acting**
-  Hydraulische Kräne, doppelwirkend, schwere Serie
-  Grues hydrauliques série renforcée, double effet
-  Grúas hidráulicas serie pesada, doble acción



-  Pompa a doppio effetto • Valvola limitatrice di carico • Comando tipo uomo presente • Stelo cromato
-  **Double acting pump • Overload safety-valve • Dead man controls • Chromium plated rod**
-  Doppeltwirkende Pumpe • Überlastsicherung • Totmann-Senkventil • Verchromte Kolbenstange
-  Pompe double effet • Sécurité hydraulique en cas de surcharge • Commande de type "homme mort" • Tige chromée
-  Bomba de doble acción • Válvula limitadora de carga • Mando de tipo hombre presente • Vástago cromado

W106 | 2000 kg



Dati tecnici


Technical data

Technische Eigenschaften

Caractéristiques techniques

Datos técnicos

	W106
A	2000
B	1970
C	1950
D	1500
E	220
F	530
G	810
H	2930
I	3280
L	1150
M	1350
N	1340
kg	300



Kg	
1	2000
2	1500
3	1000
4	600

W107 - W107SE - W107LP - W107SE/LPG - W108 W108SE - W108LP - W108SE/LPG

500-1000 kg




- Gru idrauliche pieghevoli
- Hydraulic folding cranes
- Hydraulischer, klappbarer Kran
- Grues hydrauliques pliable
- Grúas hidráulica plegable



G - version


LP

- LP = Ribassato
- **LP = Low profile**
- LP = Tiefgesetzt
- LP = Surbaisse
- LP = Perfil bajo



SE

- SE = Semplice effetto
- **SE = Single action pump**
- SE = Einfachwirkende Pumpe
- SE = Pompe simple effet
- SE = Acción simple



G

- G = Pompa pivotante
- **G = Pivoting pump**
- G = Drehbar gelagerte Pumpe
- G = Pompe pivotante
- G = Bomba pivotante

Valvola limitatrice di carico • Comando tipo uomo presente • Comando di discesa proporzionale • Stelo cromato

Overload safety-valve • Feet guards • Proportional lowering control • Chromium plated rod

Überlastventil • Totmann-Senksteuerung • Proportionale Senksteuerung • Verchromte Kolbenstange

Sécurité hydraulique en cas de surcharge • Commande de type "homme mort" • Commande de descente proportionnelle • Tige chromée

Válvula limitadora de carga • Mando de tipo hombre presente • Mando de descenso proporcional • Vástago cromado

W107 - W107SE - W107LP - W107SE/LPG - W108 W108SE - W108LP - W108SE/LPG

500-1000 kg



	SE		LP	G	
Modello	Con pompa a semplice effetto	Con pompa a doppio effetto	Basso profilo (gambe)	Pompa pivotante	Portata
Model	With single action pump	With double action pump	Low profile (legs)	Pivoting pump	Capacity
Modell	Mit einfachwirkender Pumpe	Mit doppelwirkender Pumpe	Niedrige Bauhöhe (Beine)	Drehbar gelagerte Pumpe	Tragkraft
Modèle	Avec pompe simple effect	Avec pompe double effect	Profil surbaissé (pieds)	Pompe pivotante	Capacité
Modelo	Con bomba de acción simple	Con bomba de doble acción	Perfil bajo (patas)	Bomba pivotante	Capacidad de carga
W107		X			500 Kg
W107SE	X				500 Kg
W107LP		X	X		500 Kg
W107SE/LP G	X		X	X	500 Kg
W108		X			1000 Kg
W108SE	X				1000 Kg
W108LP		X	X		1000 Kg
W108SE/LP G	X		X	X	1000 Kg



Dati tecnici	Technical data	Technische Eigenschaften	Caractéristiques techniques	Datos técnicos
--------------	----------------	--------------------------	-----------------------------	----------------

	W107 W107SE	W108 W108SE	W107LP W107SE/LPG	W108LP W108SE/LPG
A	1600	1650	1580	1595
B	1540	1560	1490	1505
C	1200	1380	1200	1380
D	900	1080	900	1080
E	140	165	85	85
F	330	470	385	480
H	1940	2220	1875	2185
I	2070	2400	2005	2390
L	720	835	700	760
M	885	1000	905	1010
N	440	550	450	550
kg	80	110	85	118



Kg	1	2	3	4
500	500	1000	500	1000
400	400	800	400	800
350	350	650	350	650
250	250	450	250	450

